



i-Touch V37-D



Hybrid Metal and Glass Floor standing kiosk with 15" screen

The stylish v37 Floor Standing Kiosk Unit offers extreme functionality, whilst maintaining the stylish look of the other glass kiosks in our range. The standard unit comes with only two front poles, but you can opt for rear poles, which enables you to

extend the unit and add a raised secondary screen. The v37 is ideal where style is important and modern surroundings are present and you require flexibility for a range of installable options. As shown, this unit will accommodate options such as keyboard, printer and card readers, as well as a secondary LCD or Plasma screen if the extension poles are fitted. The unit is also available with a 17 inch screen upgrade.

Please view the mini site to see the extension pole upgrade.

Physical Specifications

<i>Dimensions (WxHxD)</i>	TBA x TBA x TBA	<i>Operating Environment</i>	-25 to 40 Degrees
<i>Weight</i>	TBA	<i>Audio</i>	2 + 2 Watts
		<i>RTB Warranty</i>	1 Year
		<i>Build Material</i>	Powder Coated Steel and Plexiglass
		<i>Fixing Details</i>	TBA

<i>Manufacturer</i>	Future Generation	<i>Controller Model</i>	Titan TTN3-ADA-LQ150X1LGN2
<i>Viewing Angle</i>	TBA	<i>Colours</i>	16.7 Million
<i>Control Type</i>	OSD	<i>Contrast</i>	350:1
<i>Resolution</i>	1024x768	<i>Brightness</i>	260 Cd
<i>Cable Connector</i>	15 pin D-Sub / Dvi	<i>Backlight</i>	35,000 Hours Typical

Power Specifications

<i>Power Supply</i>	210-240 Volt AC
<i>Power Consumption</i>	40 Watts Normal
<i>Power Rating</i>	80 watts

PC Specifications

<i>Processor</i>	Pentium 4 (2.8ghz)	<i>Memory</i>	256mb
<i>Hard Disc Drive</i>	80Gb		

Special Comments

Meets DDA Requirements



i-Touch V37-D Pictures











