



# i-Touch V23



Slim-Line Metal Floor standing kiosk with 15" screen

The V23 is designed to be safe and robust, whilst incorporating a high level of future proof technology. Construction is from powder coated steel, and built around standard non-proprietary PC technology. Secure rear access makes maintenance simpler.

The most unique feature is the interchangeable option panels, which provide total flexibility in the configuration and functionality. This enables the units to be used for a wide range of applications, especially where high traffic durability is a requirement. The Kiosk houses a video camera for conferencing or monitoring purposes and for unattended or external use a bullet proof TFT screen and anti vandalism keyboard can also be fitted. Dimensions: 510x1395x305 mm (WxHxD). Weight: 64kg.

## Physical Specifications

<i>Dimensions (WxHxD)</i>	<b>510mm x 1395mm x 305mm</b>	<i>Operating Environment</i>	<b>-25 to 40 Degree</b>
<i>Weight</i>	<b>64Kg</b>	<i>Audio</i>	<b>2 + 2 Watts</b>
		<i>RTB Warranty</i>	<b>1 Year</b>
		<i>Build Material</i>	<b>Powder Coated Steel</b>
		<i>Fixing Details</i>	<b>TBA</b>

<i>Manufacturer</i>	<b>Future Generation</b>	<i>Controller Model</i>	<b>Titan TTN3-ADA-LQ150X1LGN2</b>
<i>Viewing Angle</i>	<b>TBA</b>	<i>Colours</i>	<b>16.7 Million</b>
<i>Control Type</i>	<b>OSD</b>	<i>Contrast</i>	<b>350:1</b>
<i>Resolution</i>	<b>1024x768</b>	<i>Brightness</i>	<b>260 Cd</b>
<i>Cable Connector</i>	<b>15 pin D-Sub / Dvi</b>	<i>Backlight</i>	<b>35,000 Hours Typical</b>

## Power Specifications

<i>Power Supply</i>	<b>210-240 Volt AC</b>
<i>Power Consumption</i>	<b>40 Watts Normal</b>
<i>Power Rating</i>	<b>80 watts</b>

## PC Specifications

<i>Processor</i>	<b>Pentium 4 (2.8ghz)</b>	<i>Memory</i>	<b>256mb</b>
<i>Hard Disc Drive</i>	<b>80Gb</b>		

## Special Comments

Meets DDA Requirements



# i-Touch V23 Pictures

---

















